

SAFETY DATA SHEET

In According with 3rd revision GHS SDS

Section 1 – Identification

Product Name	: POLIMAXX [®] Polypropylene Homopolymer Plastic Resin		
Chemical Name and Sy	ynonyms: Polypropylene, polypropylene homopolymer, 1-propene homopolymer, PP		
Chemical Formula	: $(C_3H_6)n$		
Product Code	: All Grades(1102H, 1140H, 1150H, 1102K, 1202J, 1132L, 1100NK, 1100PK, 1100NN,		
	1100RC, 1100S, 1100SS, 1125NA, 1126NK, 1140NN, 1140U, 1140VC, 1191R)		
Product Use	: Raw material for plastic industry, Resin, extrusion and compounding, plastic molding, molded articles, films and coatings		
Manufacturer	: IRPC (Public) CO., LTD.		
	299 Moo 5 Sukhumvit Road AmphurMuangRayong Thailand		
Emergency Call	: +66(0) 38 802560		
Website	: www.irpc.co.th, www.irpcmarket.com		
Section 2– Hazards Identification			

 Regulation (EC) No 1272/2008: This product is not classified as dangerous according to Regulation (EC) No

 1272/2008.

 Directive 67/548/EEC :

 This product is not classified as dangerous according to EU Directive 67/548/EEC.

 Regulation (EC) No 1907/2006: This product is complied REACH Regulation (EC) No 1907/2006.

 GHS :
 Not classified

GIID	•	not classified
Label elements	:	Not applicable
Other hazards	:	Not applicable

Section 3 - Composition / Information on Ingredients

Chemical Name		CAS Number	EC Number	Percent weight
Polypropylene		9003-07-0	Polymer	≥99

Section 4 – First-aid Measures

Skin Exposure	: If molten material comes in contact with the skin, cool under ice water or a running stream of water. DO NOT attempt to remove the material from the skin. Remove could result in serve tissue damage. Get medical attention.
Eyes Exposure	: If molten material should splash into eyes, flush eyes immediately with fresh water for 15 minutes while holding the eyelid open. Remove contact lenses, if worn. Get immediate medical attention.
Inhalation	: Move the exposed person to fresh air. If breathing is difficult, give oxygen. Get medical attention if breathing difficulties continue.
Ingestion	: Not a probable route of exposure. If person is conscious, rinse mouth with water. Do not induce vomiting unless directed to do so by a physician.

PP-Homopolymer Date of Revision 19 July 2012

1

้เหคว บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาการ บี เช้น 6 ถนนวิกาวดีรังสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0) 2649-7000,66(0) 2649-7777 แพ็กซ์: +66(0) 2649-7002 IRPC Public Company Limited

555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2649-7000,66(0)2649-7777 FAX:+66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com



Section 5 – Fire-fighting Measures

Suitable extinguishing agents:	Dry chemical, foam, water fog or carbon dioxide.Avoid using direct streams of water on molten burning material
Hazards during fire-fighting :	Carbon monoxide, carbon dioxide, original monomer other hydrocarbon.
Protective equipment :	Use a mask with universal filler. Use self-contained breathing apparatus and full protective clothing.

Section 6 - Accidental Release Measures

Personal precautions	:	Avoid inhalation and direct contact.
Environmental precautions	:	Discharge into the environment must be avoided.
Cleanup	:	Collect spilled material using a method that minimizes dust generation (e.g., wet methods, HEPA vacuum). Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

Section 7 – Handling and Storage Handling : Use with adequate ventilation. Avoid dust generation. Avoid contact with eyes and skin. Accumulations of dust should be removed from settling areas. Storage conditions : Store in a cool, dry, well-ventilated area or silo away from sources of heat, flame and sparks. Ventilate enclosed storage areas, such as trailers and railcars, beforeentering. Have emergency equipment for fires and spills readily available.

Section 8 - Exposure Controls / Personal Protection

Exposure limits

Component Name		Deference	TWA		
		Reference	ppm	mg/m3	
Dalamaralana		Italy-OEL	-	10	
Polypropylene		Canada-OEL	-	10	

Personal protective equipments

	-	
Respiratory protection	:	No special respiration protection is normally required.
Eye protection	:	Wear safety glasses with side shields, goggles or face shield.
Protective clothing	:	Gloves required when handling hot material. In case of fire, wear MSHA/NIOSH approved self-contained breathing apparatus or equivalent and full protective gear.
Ventilation	:	Provide adequate ventilation when processing material at elevated temperatures.
Other protective equip	me	nts: N.A
Engineering Controls	:	For molten materials: Provide mechanical ventilation; in general such ventilation
		should be provided at compounding/ converting areas and at fabricating/ filling
		work stations where the material is heated. Local exhaust ventilation should be
		used over and in the vicinity of machinery involved in handling the molten
		material.

2

บริษัท ไออาร์พีซี จำกัด (มหาชน)

iR**PC**

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี ชั้น 6 ถนนวิกาวดีรับสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0)2649-7000,66(0)2649-7777 แพ็กซ์: +66(0)2649-7002 **IRPC Public Company Limited** 555/2 Energy Complex Building B, 6th Floor, Vibhavadi, Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0)2649-7000,66(0)2649-7777 FAX: +66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com

POLIMAXX

Section 9-Physical and Chemical Properties

PHYSICAL DESCRIPTION:	Opaque, translucent, colorless pellets or white fluff (powder), solid		
pH:	not applicable		
VAPOR PRESURE:	not applicable		
BOILING POINT:	not applicable		
MELTING POINT:	130-170°C		
FLASH PINT:	348°C (ASTM D1929)		
AUTOIGNITION:	380 °C		
SOLUBILITY:	Insoluble in water		
SPECIFIC GRAVITY:	0.85-0.95		
DENSITY:	0.85-0.95g/cm ³		
BULK DENSITY	400(powder)-600(pellet) kg/m ³		
EVAPORATION RATE:	not applicable		
VOLATILE MATTER (wt):	< 0.1%		
WATER ABSORPTION (wt):	< 0.05%		
Section 10 – Stability and R	eactivity		
	This material is considered a stable thermoplastic, with no chemical reactivity under normal ambient and anticipated handling conditions of temperature and pressure.		

Condition to Avoid	:	Avoid heating above the recommended processing temperature. DO NOT heat without adequate ventilation.
Material to Avoid	:	May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. May react with free halogens.
		May react with nee halogens.

Dangerous decomposition:	Small quantities of low molecular weight hydrocarbons, alcohols, aldehydes
	(incl. Formaldehyde), carboxylic acids, carbon oxides and ketones can be formed
	during thermal processing.

Hazardous polymerization products: Hazardous polymerization will not occur.

Section 11 – Toxicological Information

Acute Toxicity

Chemical name		Route	Species	Acute Toxic Value
Polypropylene		Oral	Rat	LD ₅₀ > 8,000 mg/kg
Irritating/corrosive effects				
Eye Irritation	: Solid partic	les may cause transi	ent irritation from	n mechanical abrasion.
Skin Irritation	: Not expected to cause skin irritation. Molten material may cause thermal burns.			
Inhalation	: Not a likely route of exposure. Process fumes may cause irritation			
Ingestion	: May cause a choking hazard if swallowed.			
Other information				
Carcinogenic effect:				
International Agency for Research on Cancer (IARC): Group3				
		NOT classifiable	e as to its carcino	genicity to humans.

PP-Homopolymer Date of Revision 19 July 2012

้เกคาว บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคาร บี เร็น 6 ถนนวิกาวดีรับสิต เขวงอตุจักร เขตอตุจักร กรุงเทพฯ 10900 โกร. +66(0)2649-7000,66(0)2649-7777 IIWีกซ์: +66(0)2649-7002 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL:+66(0)2649-7700,66(0)2649-7777 FAX:+66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com



Section 12 – Ecological Information

Eco-toxicity :	No relevant studies identified.		
Persistence and degradability :	This material is not expected to be readily biodegradable.		
Bio-accumulative potential :	Product is not likely to accumulate in biological organisms.		
Mobility in soil :	No relevant studies identified.		
Other adverse effects :	This substance is notin Annex I of Regulation (EC) 2037/2000 on substances that deplete the ozone layer.		

Section 13 – Disposal Considerations

Disposal Methods:

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or Incineration in a licenced apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Section 14 – Transport Information

Regulatory information	UN number	Class	Packing group	Label	Additional information
DOT	Not regulated	-	-	-	-
ADR / RID	Not regulated	-	-	-	-
IMDG CODE	Not regulated	-	-	-	-
ICAO / IATA	Not regulated	-	-	-	-

Section 15 – Regulatory Information

US. Toxic Substances Control Act

All components of this product are on the TSCA Inventory.

European Inventory of Existing Commercial Chemical Substances (EINECS)

The components of this product are on the EINECS inventory or are exempt from inventoryrequirements.

EU Directives 67/548/EEC, 1999/45/EC and Regulation (EC) No 1272/2008

The product is not classified as dangerous for supply according to the Regulation (EC) No 1272/2008and the EC directive 67/548/EECand 1999/45/EC.

NFPA - USA

Health – 1, Flammability – 1, Reactivity – 0

HMIS - USA

Health – 1, Flammability – 1, Reactivity – 0

Canada - WHMIS

This product does not meet WHMIS classification criteria.

Canada - DSL

This product is listed in DSL.

4

้เลคว บริษัท ไออาร์พีซี จำกัด (มหาชน)

555/2 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาการ บี เร็น 6 กนนวิกาวดีรับสิต แขวงจตุจักร เขตจตุจักร กรุงเทพฯ 10900 โกร. +66(0)2649-7000,66(0)2649-7777 แพ็กซ์: +66(0)2649-7002 IRPC Public Company Limited 555/2 Energy Complex Building B, 6th Floor, Vibhavadi Rangsit Road, Chatuchak, Bangkok 10900 THAILAND. TEL: +66(0)2649-7700,66(0)2649-7777 FAX: +66(0)2649-7002 www.irpc.co.th, www.irpcmarket.com



Section 16 - Other Information

The information in this document is based on our best present. Nevertheless, it does not constitute a guarantee				
for any specific product features and does not establish any a legally binding contract.				
DOT	:	Department of Transportation		
ADR	:	European agreement concerning the international carriage of dangerous goods by		
		road.		
RID	:	Regulations concerning the international carriage of dangerous goods by rail.		
IMDG – CODE	:	International maritime dangerous goods code		
ICAO	:	International Civil Aviation Organization		
ΙΑΤΑ	:	International air transport association		
GHS	:	Globally Harmonized System of Classification and Labeling of Chemicals		
NFPA	:	National Fire Protection Association		
HMIS	:	Hazardous Materials Identification System		
WHMIS	:	Workplace Hazardous Materials Information System		
DSL	:	Domestic Substances List		

The information above is believed to be accurate and represents the best of our knowledge, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

5